

MATERIAL SAFETY DATA SHEET

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200 Standard must be consulted for specific requirements

FLAMEOUT 3000 PAINT ADDITIVE FIRE RETARDANT

PURE ONE ENVIRONMENTAL, INC.

3400 W. Warner Suite A
Santa Ana, CA 92704
714-641-1430 Fax – 714-641-1432 info@pureone.com

Mailing address: 22754 Islamare
Lake Forest, CA 92630
949 586 7610 Int'l Office

SECTION I: PRODUCT INFORMATION	
<ul style="list-style-type: none">• Trade Name:• Chemical Name:• Formula:• D.O.T. Proper Shipping Name:• D.O.T. Hazardous Class:• D.O.T. Identification Number:	FLAMEOUT 3000 Nitrogenous mineral or chemical All natural proprietary blend of minerals FLAME OUT 3000 Non Hazardous Class 70 Sch. B Harmonizing Code 2528.90.0000
SECTION II: PHYSICAL DATA	
<ul style="list-style-type: none">• Specific Gravity:• Boiling Point:• Melting Point:• Vapor Density:• Solubility in Water:• Appearance & Odor:	Non-Applicable 750mmg/hg NA 350° C (with decomposition) Non-Applicable Insoluble Free flowing, white, odorless powder
SECTION III: HAZARDOUS INGREDIENTS	
None	
SECTION IV: FIRE & EXPLOSION	
Non-flammable. In fire conditions, wear NIOSH/MSHA approved positive pressure self contained breathing apparatus. Wear full protective clothing.	
SECTION V: REACTIVITY DATA	
<ul style="list-style-type: none">• Stability:• Incompatibility:• Hazardous Decomposition or Byproducts:• Hazardous Polymerization:	Avoid temperatures above 275° C. Prolonged heating in excess of 270°C accelerates thermal degradation. At temperatures in excess of 275° C degradation products include hydrogen chloride. Will not occur.
SECTION VI: HEALTH HAZARD DATA	
<ul style="list-style-type: none">• Eye Contact:• Inhalation:• Skin Contact:• Ingestion:• Carcinogenicity:• Emergency & First Aid Procedures:	No ocular effects were observed Inhalation of dust may cause irritation of the respiratory tract. No skin irritant effects have been observed. Not highly toxic if swallowed. NIP and IARC Monographs = no Eyes: Flush Eyes with a directed stream of water while holding eyelids apart to ensure complete irrigation of all eye and lid tissue. Seek medical attention if extreme irritation occurs. Skin: Wash contaminated skin with soap and water. Get medical attention if irritation occurs. Wash contaminated clothing before reuse. Inhalation: Inhalation of solid material is unlikely. If it occurs, remove from exposure and provide supportive treatment if needed.

FLAME OUT 3000 MATERIAL SAFETY DATA SHEET PAGE 2

SECTION VII: PRECAUTIONS FOR SAFE HANDLING AND USE	
<ul style="list-style-type: none"> • Ventilation Requirements: • Precautions: • Steps to be taken in the event material is released or spilled: • Waste Disposal Method; 	<p>Provide good general ventilation plus local exhaust at points of emission.</p> <p>Store in a clean, dry, well ventilated area away from heat. Keep containers closed to prevent contamination. Use normal safety precautions and good industrial hygiene practices normally employed with chemical substances.</p> <p>Do not reuse containers. Product residues may remain in containers. All label precautions must be observed. Dispose of container in a manner meeting with government regulations.</p> <p>Scoop and sweep up all spilled product and other contaminated material and place in marked disposal containers. Clean up area on a dry basis. Do not flush into sewer.</p> <p>Dispose of spilled or waste product and other contaminated materials in a licensed landfill or as appropriate, burn in a licensed incinerator designed to handle hydrogen chloride as a product of combustion in accordance with federal, state, and local regulations.</p>
SECTION VIII: CONTROL MEASURES	
<ul style="list-style-type: none"> • Respiratory Protection: • Protective gloves: • Eyes: • Other Protective Clothing or Equipment: • Work Hygienic Practices: 	<p>NIOSH/MSHA Approved respirator following manufacturer's recommendations. Should be used as a precautionary measure where airborne contaminants may occur.</p> <p>Wear resistant gloves such as cotton.</p> <p>Wear safety glasses with side shields or chemical safety goggles.</p> <p>Eye wash facility should be in close proximity. No unusual precautions need to be taken.</p> <p>Observe good work practices.</p> <p>Observe good work practices.</p>

Prepared: 08-05-86

Revised: 02-17-2006

We believe that the information contained in this MSDS is current. Since the use of this information and the conditions of the use of the product are not within the control of PURE ONE ENVIRONMENTAL INC., it is the user's obligation to determine the conditions of safe use of this product. The information herein is given in good faith, but no warranty, expressed or implied is made.